Finding of Suitability to Lease

0.10 Acres of Land for Installation and Maintenance of Underground and Overhead Electrical Services (LIC-O-0744)
and
1.27 Acres of Land for Installation and Maintenance of Underground Electrical Services (LIC-O-0746) to Virginia Power
Norfolk Naval Shipyard, VA

In accordance with ASN I&E Memorandum of 22 December 1993, I have reviewed the Environmental Baseline Survey (EBS) and/or related appropriate information concerning this property.

I have determined the subject properties are suitable for license to Virginia Power for the purposes of installation and maintenance of electrical services. The following statement applies to the subject properties:

☒ Hazardous substance notice requirements do not apply to this property, since no hazardous substances were stored for one year or more, are known to have been released, or were disposed on the property. As no environmentally significant environmental concerns exist regarding the history or condition of the subject property or nature of its proposed use, it is neither appropriate nor necessary to consult regulatory agencies concerning this realty instrument.

☐ Hazardous substance notice requirements apply and must be complied with, which may necessitate certain restrictions which are attached. However, the property is not contaminated with hazardous substances. The appropriate regulatory agencies have been consulted concerning this realty instrument.

☐ This property contains some level of contamination by hazardous substances, but can be used pursuant to the proposed realty instrument without risk to human health or the environment or interference with the environmental restoration process with specified use restrictions which are attached. The appropriate regulatory agencies have been consulted concerning this realty instrument.

W. D. Lewis

W. D. Lewis
Head, Environmental Support Branch
Environmental Quality Division
Atlantic Division, Naval Facilities Engineering Command

12/11/96
(Date)